

POLYPROPYLENE ACID CABINET, MLS MODEL: ACPP










Features





- All cabinets have liquid-tight, all-welded interior to contain accidental spills. Liquid-tight trough to contain spillage chemical.
- Material thickness: 8mm thickness PP board are used.
- Equipped with internationally recognized leakage proof shelves, which could be detached out to be cleaned. Shelves are adjustable.
- Cabinet doors are marked clearly with warning label reading "CORROSIVE".
- To improve operational safety cabinet, padlock could be used to provide extra protection. Polypropylene hinges for durability and long life.
- Cabinet door could be customized as left-open or right-open. Various sizes of double door or single door could be customized.
- Used to store strong corrosive chemicals storage, such as sulfuric acid, nitric acid, acetic acid etc. to protect cabinet operator and people around.



POLYPROPYLENE ACID CABINET, MLS MODEL: ACPP

NO	Picture	Gallon	Liter	External Dimensions	Inner dimensions	Packaging Size			CBM
1		2	7.5	330*330*330 mm	250*250*250 mm	400	400	480	0.08
2		4	15	560*430*430 mm	350*350*410 mm	500	500	700	0.18
3		12	45	590*460*890 mm	507*370*740 mm	660	530	1040	0.36
4		15	57	590*460*1120 mm	500*380*1000 mm	660	530	1270	0.44
5		22	83	590*460*1650 mm	507*370*1500 mm	650	530	1800	0.62
6		30	114	1090*460*1120 mm	1007*370*968 mm	1160	530	1270	0.78
7		45	170	1090*460*1650 mm	1007*370*1500 mm	1160	530	1800	1.11

POLYPROPYLENE ACID CABINET, MLS MODEL: ACPP

NO	Picture	Gallon	Liter	External Dimensions	Inner dimensions	Packaging Size			CBM
8		60	227	860*860*1650 mm	780*780*1500 mm	940	940	1800	1.59
9		90	334	1090*860*1650 mm	1007*780*1500 mm	1160	940	1800	1.96
10				900*450*1800 mm	860*400*1600 mm	980	530	1950	1.01
11				900*450*1800 mm	860*400*1600 mm	980	530	1950	1.01